

TRUE LOCK Distal Humerus Lateral Anatomic Plates are indicated for;


- Intra-articular fractures of the distal humerus.
- Supracondylar fractures of the distal humerus.
- Nonunions of the distal humerus.
- Osteotomies of the distal humerus.

Distal humerus fractures make up 2% of all fractures and approximately one third of humerus fractures.

Anatomical plate; right & left.

4 hole option between 6-12.

TRUE LOCK Distal Humerus Lateral Anatomic Plates are made of Ti6Al4V ELI material (ASTM F136).



## TRUE LOCK Distal Humerus Lateral Anatomic Plate Features

Low plate-and-screw profile and rounded plate edges minimize potential for tendon and soft tissue irritation.



True-Distal Humerus Lateral Locking Plates are precontoured for anatomic fit. No need to bend during the surgery.

Kirschner wire holes accept Kirschner wires (up to 1.5 mm) to temporarily fix the plate to the bone, to temporarily reduce articular fragments, and to confirm the location of the plate, relative to the bone.

Elongated Combi hole in the neck and shaft facilitate plate adjustment and allow locking or compression options.

## TRUE LOCK Distal Humerus Lateral Anatomic Plate Screws Info

Reference Number:	Hole Count:	Length (mm)
(L) 201-10091-006 (R) 201-10092-006	6 hole	60
(L) 201-10091-008 (R) 201-10092-008	8 hole	80
(L) 201-10091-010 (R) 201-10092-010	10 hole	100
(L) 201-10091-012 (R) 201-10092-012	12 hole	120

- 2.7 mm Non-Locking Cortical Screw 
- 2.7 mm Locking Cortical Screw 
- 3.5 mm Non-Locking Cortical Screw 
- 3.5 mm Locking Cortical Screw 
- 4 mm Non-Locking Cancellous Screw 
- 4 mm Locking Cancellous Screw 
- 4 mm Locking Cannulated Cancellous Screw 